

YC2513GF-UV PRINTER



Main Features:

- Japanese imported Ricoh GEN5 Head for Industrial Production
- Speed up to 30square meter per hour.
- 3D Embossing effects printing technology available.
- Double LED UV lamps with Water Cooling.
- White ink circulation system to avoid white ink precipitating
- Vacuum Bed to hold the flexible media like Leather, foam board etc.
- Applications in Signage Industry, PVC door panels, Wooden doors & Glass sheets.
- Can print on Leather, Plastic, Wood, Glass, Metal, Ceramic Tiles, PVC, Acrylic etc.
- Auto Height Detection technology to detect print media thickness automatically.
- Automatic Anti-Static design to avoid dust ink drops flying.
- Advanced Printhead Anti-Crash System to avoid the risk of a collision between printer carriage and material.

Specifications

Product Model	YC2513GF
Printhead Technology	Drop-on demand piezo electric
Printhead control	Printhead voltage is software adjustable
Printhead Type	RICOH GEN5
Printhead Number	2/3/4/5/6
Ink Characteristics	UV Curing Ink
Ink reservoirs	Refillable on the fly while printing/1000ml per color
Lamp	UV LED lamp
Color Control	ICC based color,curves and density adjustment
Color arrangement	C M Y K LC LM W varnish optional
Cleaning System	Positive Pressure Cleaning
Guide Rail	Taiwan HIWIN
Working Table	Vacuum Sucking
Printing Size	2500x1300mm
Print Interface	USB2.0
Media Thickness	0-100mm, higher can be customized
Printing Resolution	720*360dpi,720*720dpi,360*1080dpi,720*1080dpi, 720*1440dpi,1440*1440dpi,360*2160dpi
Printing Speed	15sqm/h-30sqm/h
Life of printed image	3 years(outdoor),10years(indoor)
File Format	TIFF,JPEG,Postscript3,EPS,PDF etc.
RIP Software	UltraPrint , Photoprint, Onyx optional
Power Supply	220V 50/60Hz(10%) >15A
Operation Environment	Temperature 20 to 28℃,Humidity 40% to 60%
Warranty	13 months exclude the consumables

Note: The above information is subject to change without prior notice.



Certificate



WORKSHOP



EXHIBITION

Shanghai Int'l Ad & Sign Technology & Equipment Exhibition

